

Message

From: Giancarlo, Mary Beth [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=688488C9E6804937AB6E6F32E6DE0066-MARYBETH GIANCARLO]
Sent: 8/24/2020 10:03:20 PM
To: Andrae, Bill/MKE [William.Andrae@jacobs.com]; Deidre May [dmay@summitmetroparks.org]
CC: Mike Johnson [MJohnson@summitmetroparks.org]; Skwarski, Alison/DET [Alison.Skwarski@jacobs.com]
Subject: RE: Gorge Dam Floating Dock Access

Thanks for the update, Deidre!

From: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Sent: Monday, August 24, 2020 3:26 PM
To: Deidre May <dmay@summitmetroparks.org>
Cc: Mike Johnson <MJohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>; Giancarlo, Mary Beth <Giancarlo.Marybeth@epa.gov>
Subject: RE: Gorge Dam Floating Dock Access

Thanks Deidre – That is great news as this resolves the greatest hurdle we had to mobilizing! However, we have some internal issues pop up that need to be resolved and we'll need to delay until the week of September 14.

We'll notify you and Mike of the exact dates as soon as we confirm them.

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Deidre May <dmay@summitmetroparks.org>
Sent: Monday, August 24, 2020 12:46 PM
To: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Cc: Mike Johnson <MJohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>; Giancarlo, Mary Beth <giancarlo.marybeth@epa.gov>
Subject: [EXTERNAL] RE: Gorge Dam Floating Dock Access

Good Afternoon, Bill.

GOOD NEWS! They are working on the gangway. Should be usable by Wednesday.

Sincerely,

Deidre A. May
Park Manager
Summit Metro Parks

975 Treaty Line Rd.
Akron, Ohio 44313

330-922-4727
summitmetroparks.org

We're Your Back Yard

From: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Sent: Tuesday, August 18, 2020 11:12 AM
To: Deidre May <dmay@summitmetroparks.org>
Cc: Mike Johnson <mjohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>;
giancarlo.marybeth@epa.gov
Subject: RE: Gorge Dam Floating Dock Access

Thank you Deidre! Your help is greatly appreciated.

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Deidre May <dmay@summitmetroparks.org>
Sent: Tuesday, August 18, 2020 8:04 AM
To: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Cc: Mike Johnson <MJohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>;
Giancarlo, Mary Beth <giancarlo.marybeth@epa.gov>
Subject: [EXTERNAL] RE: Gorge Dam Floating Dock Access

Good Morning, Bill.

I spoke with our Service Manager the other day. It's on the list and he's trying to work it in sooner rather than later. There has been a couple last minute priority projects that have come up. I'll check back with him in a couple days to see if he can get me a better date.

Sincerely,

Deidre A. May
Park Manager
Summit Metro Parks

975 Treaty Line Rd.
Akron, Ohio 44313
330-922-4727
summitmetroparks.org

We're Your Back Yard

From: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Sent: Monday, August 17, 2020 2:27 PM
To: Deidre May <dmay@summitmetroparks.org>
Cc: Mike Johnson <mjohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>;
giancarlo.marybeth@epa.gov
Subject: RE: Gorge Dam Floating Dock Access

Hi Deidre – Any update on the repair of the walkway to the floating dock. We held a readiness review meeting this morning and our internal team is concerned about entering the water to get to the dock. Obviously, the preferred option would be the permanent walkway be repaired by August 26. If it is not on the schedule to be repaired by August 26, can you let us know when you think it might be repaired? We may consider rescheduling the sediment collection if it is just a week or two delay. Otherwise, we're going to investigate renting some sort of aluminum catwalk to bridge the span between the shore and the dock.

Thank you in advance for your help.

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Andrae, Bill/MKE
Sent: Thursday, August 13, 2020 8:00 AM
To: Deidre May <dmay@summitmetroparks.org>
Cc: Mike Johnson <MJohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>
Subject: RE: Gorge Dam Floating Dock Access

Sounds good. If it gets repaired, that will be great, but we'll be prepared to get out to the dock if it isn't. We'll have two staff members collecting the sediment and they will be wearing PFDs while out on the dock which is standard practice for Jacobs field staff whenever they are working over or near water.

Please let us know if you have any questions.

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Deidre May <dmay@summitmetroparks.org>
Sent: Thursday, August 13, 2020 5:41 AM
To: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Cc: Mike Johnson <MJohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>
Subject: [EXTERNAL] RE: Gorge Dam Floating Dock Access

Good Morning, Bill!

It has not been repaired yet, but I know it's on the schedule. Let me check to see if repairs will be made prior to August 26 and 27.

Sincerely,

Deidre A. May
Park Manager
Summit Metro Parks

975 Treaty Line Rd.
Akron, Ohio 44313
330-922-4727
summitmetroparks.org

We're Your Back Yard

From: Andrae, Bill/MKE <William.Andrae@jacobs.com>

Sent: Wednesday, August 12, 2020 3:29 PM

To: Deidre May <dmay@summitmetroparks.org>

Cc: Mike Johnson <mjohnson@summitmetroparks.org>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>

Subject: RE: Gorge Dam Floating Dock Access

Hi Deidre – We need to collect some more sediment for additional treatability testing and were planning on collecting sediment off the floating dock on August 26 and 27. Do you have any update on the status of the walkway to the dock? Has it been repaired yet? If not, we'll be prepared to wade out to the dock if needed. Thanks!



Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Deidre May <dmay@summitmetroparks.org>
Sent: Friday, May 29, 2020 9:48 AM
To: Andrae, Bill/MKE <William.Andrae@jacobs.com>; Mike Johnson <MJohnson@summitmetroparks.org>
Cc: Giancarlo, Mary Beth <giancarlo.marybeth@epa.gov>
Subject: [EXTERNAL] Re: Gorge Dam Floating Dock Access

Bill,

I would say at this point creating your own would be your best bet if we have not made repairs or opened up out dock. I would request that if your sampling would last more than a day the temporary access not be left over night. Gorge is an extremely popular park and I wouldn't want folks to be tempted to access the dock.

Sincerely,

Deidre A. May
Park Manager
Summit Metro Parks
975 Treaty Line Rd.
Akron, Ohio 44313
330-922-4727
summitmetroparks.org
We're Your Back Yard

From: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Sent: Friday, May 29, 2020 9:49:49 AM
To: Deidre May <dmay@summitmetroparks.org>; Mike Johnson <mjohnson@summitmetroparks.org>
Cc: giancarlo.marybeth@epa.gov <giancarlo.marybeth@epa.gov>
Subject: RE: Gorge Dam Floating Dock Access

Deidre – Thank you for the update. I'm thinking it will be at least a month or more before we'd be ready to collect sediment. If the repairs aren't complete and would it be possible to access the dock if we can come up with a way to temporarily and safely access the dock?

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Deidre May <dmay@summitmetroparks.org>
Sent: Friday, May 29, 2020 5:46 AM
To: Mike Johnson <MJohnson@summitmetroparks.org>; Andrae, Bill/MKE <William.Andrae@jacobs.com>
Cc: Giancarlo, Mary Beth <giancarlo.marybeth@epa.gov>
Subject: [EXTERNAL] RE: Gorge Dam Floating Dock Access

Good Morning, Mike!

A tree fell and damaged the ADA ramp and gangway to the dock. The ADA ramp has been removed, and the gangway is away being repaired. I have not heard a set timeline for when the repair will be complete, and the dock reopened (COVID also plays a role in reopening the dock).

Sincerely,

Deidre A. May
Park Manager
Summit Metro Parks

975 Treaty Line Rd.
Akron, Ohio 44313
330-922-4727
summitmetroparks.org
We're Your Back Yard

From: Mike Johnson <mjohnson@summitmetroparks.org>
Sent: Thursday, May 28, 2020 12:07 PM
To: Andrae, Bill/MKE <William.Andrae@jacobs.com>; Deidre May <dmay@summitmetroparks.org>
Cc: giancarlo.marybeth@epa.gov
Subject: RE: Gorge Dam Floating Dock Access

Hi Deidre: Can you respond about the status of the dock?

From: Andrae, Bill/MKE <William.Andrae@jacobs.com>
Sent: Thursday, May 28, 2020 10:52 AM
To: Mike Johnson <mjohnson@summitmetroparks.org>
Cc: giancarlo.marybeth@epa.gov
Subject: Gorge Dam Floating Dock Access

Hi Mike – Jacobs is doing some planning for another small sediment collection effort and I was wondering if you know the status of the floating dock in the Gorge Dam Pool. Drew Walter was at the site back in April and there were a couple of dock sections missing. We'd like to be able to go out on the dock and collect the sediment in this area. Please let me know if the dock has been repaired and is accessible.



Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
O:+01.414.847.0341 | M:+01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any

ED_006436A_00011253-00007

viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.